

NUVO

Designed by audiophiles.
Installed by professionals.



 legrand®

A HISTORY OF EXCELLENCE.

1924

Nuvo begins as the Davitt & Hanser Music Company. Later renamed Hanser Holdings International (HHI), Nuvo has since become one of the most trusted names in music manufacturing and distribution.



1989

HHI acquires the world-renowned music amplification and engineering company Kustom.



1991

Kustom introduces the first integrated whole home audio system under the name Kustom Home Sound.

2002

HHI launches Nuvo, the new brand name of Kustom Home Sound.



2012

Legrand acquires the Nuvo brand. Today, Nuvo systems continue to deliver unparalleled innovations in sound.

DESIGNED BY AUDIOPHILES.

The Nuvo range of advanced whole home audio systems and solutions delivers a truly unparalleled listening experience. With a deep-seated passion for music and an audio lineage reaching back to 1924, the Nuvo range was born of the Kustom Home Sound brand, the same company that delivered stage amplification for professional musicians ranging from Johnny Cash to Quiet Riot. Today, Legrand continues to deliver innovative, high-performing products for professional home audio installations.

PLAYER PORTFOLIO.

Designed with the professional installer in mind, the flexible, powerful Player Portfolio system delivers incredible high-fidelity audio to every room of the home. Conveniently available in wired or wireless configurations, the single zone players and multi-zone rack-mount players make it easy to build a unified whole home audio experience in up to 16 different zones. Easy to install and even easier to enjoy, the Player Portfolio offers an unparalleled listening experience with endless music options at your fingertips.


EXPLORE A WORLD OF MUSIC.

The Player Portfolio system offers true listening freedom with built-in access to endless music options - from networked audio content and iTunes libraries, to an expansive variety of radio and streaming services. Whether it's an old favourite or the newest hit, your home will be filled with the music that moves you.



THE PLAYER ECOSYSTEM.

Simply connect a Nuvo player to the home network and your favourite speakers. To start listening, use the free Nuvo Player app to quickly connect and set up the system. Easily extend home audio to other rooms by adding players in other zones.



COMPLETE CONTROL.

Nuvo Player app

It's easy to get right to the music you love with the Nuvo Player app. By automatically displaying your favourite music services and artists, the app allows fast and simple browsing with a world of music available right at your fingertips. Play different songs in every room, or stay in perfect sync when streaming a single song throughout the home.



NUVO PLAYER APP

Manage music library, power and playlists, as well as Play, Pause, Volume, Mute, Skip Track and more

Choose music from an unlimited variety of sources

Easy browsing by song, album, genre and artist

Control music in every zone or group together to play one song throughout the home

Download the app for free from iTunes and Google Play

In-wall keypads and touch screen

Enjoy intuitive control where you need it most with the Nuvo touch screen and keypads. With a fixed on-wall location, these devices add a whole new layer of convenience to the Player Portfolio system, providing instant access to music for anyone in the home. Installation is a breeze with a single PoE connection.



P30 TOUCH SCREEN

Wall-mounted tablet runs the Nuvo Player app for complete management of all zones, sources and audio functions

Sleek, high contrast 7" Android 1024 x 600 IPS capacitive touch screen

Connects easily with a single RJ45 802.11 af PoE cable

Universal mounting plate for quick installation

P20 KEYPAD

Accessible in-wall control of a single zone

Control Play, Pause, Volume, Mute and Track Navigation

A single button allows quick access to five preset favorites

Capacitive touch backlit display

Connects easily with a single RJ45 802.11 af PoE cable

Designed for Arteor and Synergy wall plates

PROFESSIONAL FINISH. PROFESSIONAL POWER.

Professional multi-zone rack mount players

Deliver a powerful experience with Nuvo's high-performing, professionally-installed multi-zone players. These sleek rack mount A/V units occupy 1U of rack space, but cover three listening zones for a clean installation with maximum efficiency. Hard-wire multiple players with ethernet for centralised integration.



P3100 PROFESSIONAL SERIES PLAYER

Three zone, with 40-watts per zone at 8 ohms

High-performance amplifier operates coolly and saves energy while minimising distortion

Rack mount ears included

P3100 specifications

Power	20w per channel at 8 ohms
Network	Wired
No. of zones	3
No. of channels	2 per zone
Input	3.5mm x 3, USB x 3
Preamp output	3.5mm x 3



P3100




P4300 PROFESSIONAL SERIES PLAYER

- Highest quality rack mount player with DSP for enhanced performance
- 3 zone, with 110-watts per zone at 4, 6 or 8 ohms (ohm load is selectable within the app)
- Backlit touch screen supports easy setup with visible system status, zone names and more
- Side mounted heat sinks and no fans for convenient single-space rack mounting
- 3.5mm combination analog/TOSLINK jacks for line inputs and outputs
- Rack mount ears included

P4300 specifications

Power	55w per channel at 4,6, or 8 ohms
Network	Wired
No. of zones	3
No. of channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Toslink to 3.5mm adapters included), USB x 3
Preamp output	Auto-sensing 3.5mm analog or optical x 3 (Toslink to 3.5mm adapters included)



P4300

FLEXIBLE SOLUTIONS.

Wired/wireless single-zone players

Introduce incredible audio into hard-to-wire spaces with wireless single-zone players. Ideal for easily adding zones to an existing Player Portfolio System, single-zone players support both wired ethernet or wireless 802.11a/b/g/n configuration options for optimal flexibility.



P100 PLAYER AMPLIFIER

Give any room instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Provides a total 40 watts of power at 8 ohms to a single-zone

P100 specifications

Power	20w per channel at 8 ohms
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
No. of channels	2
Inputs	3.5mm, USB
Output	3.5mm

P200 PLAYER AMPLIFIER

Instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Connect to any Bluetooth-enabled device to listen instantly

Provides a total 120 watts of power at 4 ohms to a single-zone



P200 specifications

Power	60w per channel at 4 ohms stable
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
No. of channels	2
Inputs	3.5mm, Bluetooth, USB
Output	3.5mm




P300 PLAYER PREAMPLIFIER

Designed for maximum versatility, connect to any external amplifier or receiver to create a fully functioning zone

Offers all the benefits of the Player Portfolio including expansive source variety, convenient app control, and stunning hi-fi quality

P300 specifications


Power	Unpowered
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
Inputs	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included), USB
Output	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included)



P100



P200



P300

EXCEPTIONAL EXPERIENCES.

Tabletop speaker

Stream music in any room with this all-in-one stereo speaker and amplifier, or easily expand an existing Player Portfolio system with an additional zone of audio. With a powerful 2.1 system, the P400 fills any room with rich, full-bodied sound, or stays perfectly in sync with other zones playing the same song. Blending premium performance with installation flexibility, the tabletop speaker makes it easier than ever to listen to the music you love - whenever or wherever you might want to listen.



P400 TABLETOP SPEAKER

All-in-one single-zone amplifier and stereo speaker easily expands the Player Portfolio system

Powerful 2.1 system with 5 1/4" subwoofer, two midrange drivers, and two tweeters

Conveniently controlled with the Nuvo Player app and optional in-wall keypads

Capacitive touch controls on the device provide Play, Pause, Volume, Mute and Track Navigation

Wired or wireless connection allows for flexible installation

P400 specifications

Power	Closed system
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
Input	3.5mm analog
Dimensions	368 W x 217 H x 149 D (mm) 14.5 W x 8.56 H x 5.88 D (in)

Sound bar and subwoofer

Merging the exceptional audio quality of Player Portfolio with dynamic home theatre technology, the P500 delivers a cinematic experience that true audiophiles will love. With a powerful 2.1 system, complete with an 8” wireless subwoofer, the sound bar boosts listening experiences, playing movie, TV, or game audio in brilliant clarity. Better yet, the P500 is a single-zone Player Portfolio amplifier, granting access to networked music collections and endless streaming services. With convenient control options and simple setup, the sound bar delivers an immersive audio experience to complete any home theatre.

P500 PLAYER SOUND BAR AND SUBWOOFER

All-in-one single-zone Player Portfolio amplifier and home theatre sound bar

Powerful 2.1 system complete with 8” wireless subwoofer

Conveniently controlled with the included IR remote, Nuvo Player app, optional in-wall keypads, or the capacitive touch controls

Customised listening modes for music, movie, voice and night

Mounting bracket included

P500 specifications

Power	Closed system
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
Inputs	RCA, Toslink, USB
Sound bar dimensions	877 W x 115 H x 108 D (mm) 34.5 W x 4.25 H x 4.5 D (in)
Subwoofer dimensions	231 W x 261 H x 303 D (mm) 9.1 W x 10.25 H x 11.9 D (in)



SIMPLIFIED STREAMING.

DIN rail solutions

The P600 player is the world's first streaming music player designed for the international DIN rail mounting standard. It gives any room instant access to endless audio options with built in access to personal music collections, internet radio, or popular streaming services. Compatible with all other products in the Player Portfolio, the P600 adds ease of installation and flexibility to expand the system. It is powered by the P601 power supply which can be used to power up to four P600 players.

P600 DIN RAIL PLAYER

Designed for the international DIN rail mounting standard and compatible with all products in the Player Portfolio

Give any room instant access to endless music options or stay perfectly in sync when all zones are playing the same song

Provides a total of 40 watts of power at 4/6/8 ohms to a single zone

Conveniently controlled with the Nuvo Player app or optional in-wall keypads

Access to connect through a wired network

P600 specifications

Power	20w per channel. 4,6, or 8 ohms stable
Network	Ethernet
No. of zones	1
No. of channels	2
Inputs	3.5mm, USB



P601 DIN RAIL POWER SUPPLY

Powers up to four P600 players

Designed for international DIN rail mounting for flexible and efficient installation

P601 specifications

Power	24V / 18w per zone
No. of zones powered	4

DYNAMIC DELIVERY.

Digital power amplifiers

The Nuvo class-D digital power amplifiers provide standalone power with incredible performance. The rack mount units offer clean, crisp sound with low distortion and minimal signal loss. High-efficiency design achieves ENERGY STAR standard for utilising less than one watt of power in standby mode. With easy third party integration and a clean 1U installation, providing music the way it should be heard couldn't be easier.

D460 DIGITAL POWER AMPLIFIER

Powerful four channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

D460 specifications

Power	4 channels at 60w (4 ohm)
No. of amplifiers	2
Ohms	4 or 8 ohms
Input	RCA



D2120 DIGITAL POWER AMPLIFIER

Powerful two channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

D2120 specifications

Power	2 channels at 120w (4 ohm)
No. of amplifiers	1
Ohms	4 or 8 ohms
Input	RCA



INSTALLER-INSPIRED DESIGN.

Professional solutions

Dedicated to engineering innovative multi-room audio solutions, every product and system feature in the Nuvo Player Portfolio range is designed with meticulous detail to support the needs of professional integrators. From flexible wired or wireless configurations and simple set-up, to seamless third-party integration and effortless control, Player Portfolio is the all-in-one solution for dynamic whole home audio.

Seamless integration

Offering pre-written drivers and instructional guides, the exceptional audio of Player Portfolio can be easily integrated into advanced automation systems from Vantage, Crestron, Control4, KNX, RTI and more.

Control4

ELAN


RTI

KNX

VANTAGE

CRESTRON

URC



Professional rack-mount solutions

Nuvo professional rack-mount players provide a cleaner installation with a more efficient use of space in the AV rack.

Flexible system design

The Player Portfolio offers a comprehensive line of scalable home audio products available in wired or wireless configurations. Flexible options like the home theatre sound bar and tabletop speaker make it simple to specify the right solution for any project.




Remote monitoring and device management

Domotz PRO network management software simplifies installations and allows remote monitoring, technical support and troubleshooting of Nuvo devices from anywhere – saving installers time whilst adding value and improving efficiency.

A spare-no-expense attitude on audio quality

Offering a reproduction quality that is true to every artist and song, Player Portfolio supports true 24 bit/192 kHz high-resolution streaming audio – the way sound was meant to be heard.



	Single-zone players			All-in-one speaker/player	
					
Model	P100	P200	P300	P400	P500
Size dimension H x W x D	42 x 187 x 115 (mm)	42 x 229 x 127 (mm)	38 x 145.5 x 90.5 (mm)	216 x 375 x 152 (mm)	Sound bar 108 x 877 x 115 (mm)
	1.65 x 7.36 x 4.5 (in)	1.65 x 9 x 5 (in)	1.5 x 5.7 x 3.56 (in)	8.5 x 14.76 x 5.98 (in)	Subwoofer 235 x 231 x 303 (mm) 9.25 x 9 x 11.9 (in)
Power (watts)	40 (8ohm, 20w x 2)	120 (4ohm, 60w x 2)	preamplifier	closed system	closed system
Generation D energy-efficient amplifier	■	■	-	■	■
Domotz ready	■	■	■	■	■
Apple / Android control app	■	■	■	■	■
Wi-Fi	■	■	■	■	■
Ethernet connection	■	■	■	■	■
Analog line in	■	■	■	■	■
Analog line out	■	■	■	-	-
Optical in	-	-	■	-	■
Optical out	-	-	■	-	-
USB port	■	■	■	■	■
Bluetooth	-	■	-	-	-
Four ohm stable	-	-	-	-	-
DSP	-	-	-	■	-
Trigger in	-	-	-	-	-
Trigger out	-	-	-	-	-
Power-up options	-	-	-	-	-

Multi-zone
players



P3100



P4300

44 x 430 x 250 (mm)
1.73 x 16.9 x 9.8 (in)

54 x 430 x 258 (mm)
1.73 x 16.9 x 10.1 (in)

3 zones x 40
(8ohm, 20w x 2 per zone)

3 zones x 110 @ 4, 6, or 8ohm



DIN rail
player



P600

53.4 x 90 x 67.2 (mm)
2.102 x 3.543 x 2.646 (in)

40
(4, 6, or 8ohm, 20w x 2)




UNPRECEDENTED PERFORMANCE.

Nuvo speakers


Series Two, Four and Six in-wall and in-ceiling speakers are made for professionals whose reputation was built on installing only the highest quality products.

While each Series of speakers is manufactured with quality components and materials, there are unique differences in the internal components of each, including the resistors, inductors and capacitors that comprise the crossover network.




SERIE TWO

BALANCED




Series Two woofers are constructed with high-grade polymer for deep bass.



Series Two tweeters are made from silk for smoother highs.

SERIE FOUR

ENHANCED




Series Four woofers are constructed with glass fibre for minimal distortion.




Series Four tweeters are made from aluminum for brighter sound.

SERIE SIX

PREMIUM



Series Six woofers are constructed of Kevlar® and carbon fibre to handle the heaviest loads.



Series Six tweeters are made from titanium for ultimate performance.

BALANCED

SERIES TWO SPEAKERS

Designed to deliver balanced, moderate sound

Polypropylene woofers are constructed with high-grade polymer for a rich, deep bass

Pivoting dome tweeters are made from silk for smooth smart highs

Power handling: 100w peak/ 50w RMS with 8 ohms

Series Two specifications

Power handling	100w peak / 50w RMS
Efficiency	86dB
Resistance	8 ohm
Tweeter construction	Silk
Woofer construction	Polypropylene



Butyl rubber surround

Recessed
mounting screws

Pivoting silk
dome tweeter

Polypropylene woofer

Neodymium magnets
to hold grill



NV-2IC6
Series Two 6.5" in-ceiling speaker



NV-2IC6-ANG
Series Two 6.5" in-ceiling angled speaker



NV-2IC6-DVC
Series Two 6.5" in-ceiling dual voice coil speaker



NV-2IC8
Series Two 8" in-ceiling speaker



NV-2IC8-ANG
Series Two 8" in-ceiling angled speaker



NV-2IW6
Series Two 6.5" in-wall speaker



NV-2IW5-LCR
Series Two 5.25" in-wall LCR speaker



NV-2OD5-BK & NV-2OD5-WH
Series Two 5.25" outdoor speaker (available in black and white)

NV-2OD6-BK & NV-2OD6-WH
Series Two 6.5" outdoor speaker (available in black and white)

ENHANCED

SERIES FOUR SPEAKERS

Remarkable striking clarity

Woofers are designed with glass fibre for minimal distortion

Pivoting dome tweeters are made from aluminium for a brighter, clearer sound

Power handling: 150w peak/ 75w RMS with 8 ohms



Series Four specifications

Power handling	150w peak / 75w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter construction	Aluminium, pivoting
Woofer construction	Glass fibre

Butyl rubber surround

Recessed
mounting screws

Aluminium
dome tweeter

Glass fibre woofer

Acoustically minimised
tweeter bridge

Neodymium magnets
to hold grill



NV-4IC6
Series Four 6.5" in-ceiling speaker



NV-4IC6-ANG
Series Four 6.5" in-ceiling angled speaker



NV-4IC6-DVC
Series Four 6.5" in-ceiling dual voice coil speaker



NV-4IC8
Series Four 8" in-ceiling speaker



NV-4IC8-ANG
Series Four 8" in-ceiling angled speaker



NV-4IW6
Series Four 6.5" in-wall speaker



NV-4IW5-LCR
Series Four 5.25" in-wall LCR speaker

PREMIUM

SERIES SIX SPEAKERS

The highest power handling and most extreme performance for home theatre and vast spaces

Woofers are constructed of Kevlar and carbon fibre, for strength to carry to heaviest loads

Pivoting dome tweeters are made from titanium for ultimate performance, delivering smooth, lifelike vocals and crystal-clear highs

Equipped with tweeter level adjustment for advanced audio customization

Power handling: 200w peak/ 100w RMS with 8 ohms



Series Six specifications

Power handling	200w peak / 100w RMS
Efficiency	89dB
Resistance	8 ohm
Tweeter construction	Titanium
Woofer construction	Carbon fibre and Kevlar®

Butyl rubber surround

Recessed
mounting screws

Pivoting titanium
dome tweeter

Carbon fibre
and Kevlar® woofer

Acoustically minimised
tweeter bridge

Neodymium magnets
to hold grill



NV-6IC6
Series Six 6.5" in-ceiling speaker



NV-6IC6-ANG
Series Six 6.5" in-ceiling angled speaker



NV-6IC8
Series Six 8" in-ceiling speaker



NV-6IC8-ANG
Series Six 8" in-ceiling angled speaker



NV-6IW6
Series Six 6.5" in-wall speaker



NV-6IW6-LCR
Series Four 6.5" in-wall LCR speaker



NV-60D5-BK & NV-60D5-WH
Series Six 5.25" outdoor speaker (available in black and white)

NV-60D6-BK & NV-60D6-WH
Series Six 6.5" outdoor speaker (available in black and white)

NV-60D5-DVC-BK & NV-60D5-DVC-WH
Series Six 5.25" outdoor dual voice coil speaker
(available in black and white)

NV-60D6-DVC-BK & NV-60D6-WH
Series Six 6" outdoor dual voice coil speaker
(available in black and white)

IMMERSIVE OUTDOOR AUDIO.

Landscape speakers

Deliver dynamic sound quality to any outdoor environment with the durable and scalable Series Two landscape speakers. The low-profile, black teardrop satellite speakers have 3.5" poly woofers and 0.5" UFLC tweeters for clear, robust audio and even coverage. The powerful 8" buried subwoofer blends subtly into the landscape while providing a stand-out bass response. Designed for years of performance, the Landscape Speakers are rated for outdoor use and durability in extreme weather conditions.

LANDSCAPE SPEAKERS

Complete 5-piece system comes with 4 two-way satellite speakers and an 8" in-ground subwoofer

IP-67 and MIL-STD-810 compliant

8 ohm system pairs perfectly with Player Portfolio products or any 8 ohm amplifier

Highly scalable with option to add-on additional satellite speakers

Lifetime Warranty

Landscape Series Two specifications

Power handling	280w
Efficiency	86dB
Resistance	8 ohm
Tweeter construction	UFLC
Woofer construction	Polypropylene



Outdoor Speakers

Elevate exterior living spaces with Series Two and Series Six Outdoor Speakers. The sleek enclosure features a modern form and minimal size that tastefully suits the exterior of any home. They deliver a clean, powerful sound and are rated for outdoor use. Designed for easy installation, the speaker safely rests on the bracket with mounting knobs loosely installed to allow flexibility while wiring the removable phoenix connector. After the terminal has been secured, simply adjust the angle, tighten knobs, install covers, and mounting is complete.

OUTDOOR SPEAKERS

Delivers clear, powerful sound to exterior spaces

IP65 and MIL-STD-810 rated

Designed for safe and easy installation

8 ohm rated

Available in black and white

Lifetime warranty

Outdoor Series Two specifications

Power handling	100w peak / 50w RMS
Efficiency	87dB
Resistance	8 ohm
Tweeter construction	UFLC
Woofer construction	Polypropylene

Outdoor Series Six specifications

Power handling	120w peak / 60w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter construction	Titanium
Woofer construction	Carbon fibre and Kevlar®



ARCHITECTURAL SPEAKERS

SERIES TWO

Impedance
8 Ohms

Sensitivity
86dB

Power
50w RMS / 100w Peak

Woofer Material
Polypropylene

Tweeter Material
Silk



NV-21C6



NV-21C6-ANG



NV-21C6-DVC



NV-21C8



NV-21C8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.5"	0.5"	0.5"	0.5"	0.5"
Mounting Depth	3.9" / 99mm	4.57" / 116mm	3.9" / 99mm	4.37" / 111mm	5.31" / 135mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	55Hz - 20KHz	45Hz - 20KHz	45Hz - 20KHz
Pack	Pair	Single	Single	Pair	Single

SERIES FOUR

Impedance
8 Ohms

Sensitivity
88dB

Power
75w RMS / 150w Peak

Woofer Material
Glass fibre

Tweeter Material
Aluminium



NV-41C6



NV-41C6-ANG



NV-41C6-DVC



NV-41C8



NV-41C8-ANG

Overall dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer size	6.5"	6.5"	6.5"	8"	8"
Tweeter size	0.75"	0.75"	0.75"	0.75"	0.75"
Mounting depth	3.94" / 100mm	4.76" / 121mm	3.94" / 100mm	4.41" / 112mm	5.55" / 141mm
Frequency response	55Hz - 20KHz	55Hz - 20KHz	50Hz - 20KHz	40Hz - 20KHz	40Hz - 20KHz
Pack	Pair	Single	Single	Pair	Single

SERIES SIX

Impedance
8 Ohms

Sensitivity
89dB

Power
100w RMS / 200w Peak

Woofer Material
Kevlar® / Carbon
fibre weave

Tweeter Material
Titanium



NV-61C6



NV-61C6-ANG



NV-61C8



NV-61C8-ANG

Overall dimensions	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout dimensions	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer size	6.5"	6.5"	8"	8"
Tweeter size	1"	1"	1"	1"
Mounting depth	3.94" / 100mm	4.76" / 121mm	4.41" / 112mm	5.55" / 141mm
Frequency response	60Hz - 20KHz	60Hz - 20KHz	35Hz - 20KHz	35Hz - 20KHz
Pack	Pair	Single	Pair	Single



NV-2IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.5"

3.27" / 83mm

60Hz - 20KHz

Pair



NV-2IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

65Hz - 20KHz

Single



NV-4IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.75"

3.27" / 83mm

55Hz - 20KHz

Pair



NV-4IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

60Hz - 20KHz

Single



NV-6IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

1"

3.27" / 83mm

50Hz - 20KHz

Pair



NV-6IW6-LCR

8.66" x 17.71" / 220mm x 450mm

7.6" x 16.65" / 193mm x 423mm

6.5"

1"

3.5" / 90mm

45Hz - 20KHz

Single

OUTDOOR SPEAKERS

SERIES TWO

Impedance

8 Ohms

Sensitivity

87dB

Power

50w RMS / 100w Peak

Woofer material

Polypropylene

Tweeter material

UFLC



NV-20D5-XX



NV-20D6-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES SIX

Impedance

8 Ohms

Sensitivity

88dB

Power

60w RMS / 120w Peak

Woofer material

Kevlar® / Carbon


fibre weave

Tweeter material

Titanium



NV-60D5-XX



NV-60D6-XX



NV-60D5=DVC-XX



NV-60D6=DVC-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES TWO LANDSCAPE

Impedance

8 Ohms

Sensitivity

86dB

Power

280w

Woofer material

Poly

Tweeter material

UFLC



NV-2LSK-BK
Subwoofer & four satellites

NV-2LS3-SAT2
Two satellites

NUVO



Great King Street North
Birmingham, B19 2LF
United Kingdom
T: +44 (0) 345 605 4333
E: legrand.sales@legrand.co.uk
www.legrand.co.uk

©2018 by Legrand. All Rights Reserved.

999532 Nuvo whole home audio 11/2018.3k